

814

Notice of Allowability	Application No.	Applicant(s)	
	10/530,251	BOUIX ET AL.	
	Examiner	Art Unit	
	Tyrone W. Smith	2837	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed 12/28/05.
2. ☒ The allowed claim(s) is/are 2-9.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☒ All b) ☐ Some* c) ☐ None of the:
 1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|---|
| <ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | <ol style="list-style-type: none"> 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ 7. <input type="checkbox"/> Examiner's Amendment/Comment 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance 9. <input type="checkbox"/> Other _____ |
|--|---|

DETAILED ACTION

1. The replacement drawings were received on December 21, 2005. These drawings are approved.
2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Eric Cohen, Registration Number 38,110 on February 23, 2006.

Amend/add to the specification after the title of invention on page 1:

CROSS-REFERENCE TO RELATED APPLICATIONS

This is a 371 national phase application of PC1/IB03/04292 filed September 9, 2003, claiming priority to French Patent Application No. 0212618 filed October 10, 2002, the contents of which are incorporated herein by reference.

Amend Claim 9 to:

9. (new) An electrical actuator configured to operate a closing, darkening or solar protection element and operatively coupled to a mains input voltage source having a mains frequency, the actuator in a common enclosure comprising:
 - a direct current motor;
 - a control board configured to control the motor;

an AC/DC voltage converter configured to convert and lower the input voltage source and having at least one switch operating at a switching frequency (F1);

a radio frequency (RF) receiver configured to receive external signals at a receiver frequency (F0); and

wherein the switching frequency is less than twice the mains frequency and/or the ratio of the switching frequency (F1) to the receiver frequency (F0) ranges between 2.2×10^{-5} and 2.2×10^{-4} so that energy generated by the AC/DC voltage converter does not interfere with the RF receiver.

2. Claims 2-9 in condition for allowance.

3. The following is an examiner's statement of reasons for allowance: The prior arts of record does not establish alone or in reasonable combination a switching frequency, from the AC/DC voltage converter, is less than twice the mains frequency and/or the ratio of the switching frequency to the receiver frequency ranges between 2.2×10^{-5} and 2.2×10^{-4} so that energy generated by the AC/DC voltage converter does not interfere with the RF receiver.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2837


4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tyrone W. Smith whose telephone number is 571-272-2075. The examiner can normally be reached on weekdays from 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Paula Bradley, can be reached on 571-272-2800 ext. 33. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Tyrone Smith
Patent Examiner

Art Unit 2837


RINA DUDA
PRIMARY EXAMINER